



Manufacturer's declaration of compliance

In accordance with the requirements of BSEN1303:2015 Annex D (informative), we declare that the following product:

Tigris® Premier4™

has been successfully tested to BSEN1303:2015 with the following classification:

1	2	3	4	5	6	7	8
Category of Use	Durability	Door Mass	Fire Resistance	Safety	Corrosion resistance & temperature	Key related Security	Attack resistance
1	6	0	B	0	C	6	B/C/D

and the following other requirements not indicated in this standard:

TS007-1:2014+A2:2018 Enhanced security performance requirements for replacement cylinders and/or associated hardware

Annex A clause A5 of BS3621 Lock assemblies operated by key from both the inside and outside of the door - General Vulnerability Assessment

BSEN 1634-1:2014+A1:2018 Fire resistance tests for door and shutter assemblies

When used for the following purpose:

Cylinder: device usually distinct from its associated lock or latch, operated by a key

Evidence of standards compliance:

- Type testing by Manufacturer
- Type testing by Manufacturer to EN ISO/IEC 17025
- Type testing by accredited laboratory for the purposes of BSI Assessment as per the requirements of TS007-1:2014+A2:2018 Enhanced security performance requirements for replacement cylinders and/or associated hardware
- Type testing by accredited laboratory as per the requirements of EN1634-1:2014+A1:2018 – Fire resistance tests for door and shutter assemblies
- Regular audit testing by Manufacturer
- Regular audit testing by Manufacturer to EN ISO/IEC 17025
- Regular audit testing by accredited laboratory for the purposes of BSI Audit Reports as per the requirements of TS007-1:2014+A2:2018 Enhanced security performance requirements for replacement cylinders and/or associated hardware
- Other [*specify*:.....]

Evidence of quality compliance :

- Manufacturer's own quality system
- Manufacturer's quality system to EN ISO 9001
- Manufacturer's quality system to EN ISO 9001 with Independent quality assessment
- Other [*specify*:.....]

Evidence of marking compliance :

- None
- Quality label [*specify*:]
- Other [*specify*: As per the requirements of TS007-1:2014+A2:2018 Enhanced security performance requirements for replacement cylinders and/or associated hardware, cylinders are marked with Kitemark Number on product or product packaging. Where applicable cylinders are marked with external side

CE marking not applicable

Signature:



Date:

January 2025

Position:

Managing Director